



## Gorilla Super Glue Gel

ACCORDING TO WORK HEALTH AND SAFETY (WHS) REGULATIONS

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : Gorilla Super Glue Gel  
Product code : No data available

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Adhesive.

#### 1.4. Supplier's details

##### Manufacturer

The Gorilla Glue Company  
2101 E. Kemper Road  
Cincinnati, OH 45241 US  
T 513-271-3300  
[www.gorillatough.com.au/](http://www.gorillatough.com.au/)

##### Distributor

Gorilla Glue Australia Pty Ltd.  
Suite 101, 5 Nexus Court  
Mulgrave, VIC, 3170 - Australia  
T +1800 201 480

#### 1.5. Emergency phone number

Emergency number : 13 11 26

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

In accordance to GHS as implemented under WHS Regulations  
Skin Irrit. 2 :Causes skin irritation.  
Eye Irrit. 2A :Causes serious eye irritation.  
STOT SE 3 :May cause respiratory irritation.

#### 2.2 Label elements

In accordance to GHS as implemented under WHS Regulations  
Product Name Gorilla Super Glue Gel

Hazard Pictogram(s)



GHS07

Signal Word(s)

Warning

Hazard Statement(s)

H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.  
P261: Avoid breathing vapours.



## Gorilla Super Glue Gel

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents in accordance with local, state or national legislation.

### 2.3 Other hazards

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
ethyl 2-cyanoacrylate	7085-85-0	85-95	Flam. Liq. 4 H227 Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335	GHS07
1,4-dihydroxybenzene	123-31-9	<0.1	Acute Tox. 4 H302 Skin Sens. 1 H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351	GHS05 GHS08 GHS07 GHS09

For full text of H/P Statements see section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
Skin Contact	Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Wash out mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes irritation to eyes and skin. May cause respiratory irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.



## Gorilla Super Glue Gel

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media None.

#### 5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Carbon monoxide, Nitrogen oxides, isocyanates, traces of hydrogen cyanide

#### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing vapours. Wear appropriate personal protective equipment, avoid direct contact. Take off contaminated clothing and wash it before reuse. Wash hands and exposed skin thoroughly after handling.

#### 6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

#### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

#### 6.4 Reference to other sections

See Also Section 8, 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

If medical advice is needed, have product container or label at hand. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing vapours. Avoid contact with skin and eyes. Wash hands and exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

#### 7.3 Specific end use(s)

Adhesives.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

8.1.1 Occupational Exposure

Limits



## Gorilla Super Glue Gel

WORKPLACE EXPOSURE STANDARDS FOR AIRBORNE CONTAMINANTS						
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Hydroquinone	123-31-9		2			Carc. 2

Region            Source  
Australia        Workplace Exposure Standards For Airborne Contaminants, 2019, Australia

Remark            Notes  
Carc. 2            Carcinogenicity Category 2 – Suspected human carcinogen.

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls    Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection    Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection    Wear suitable protective clothing and gloves. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection    In case of inadequate ventilation wear respiratory protection. A suitable mask with filter type A may be appropriate.



Thermal hazards    Not applicable.

8.2.3. Environmental Exposure Controls    Do not release large quantities into the surface water or into drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state            Gel.  
Colour                      Clear.  
Odour                        Characteristic.  
Melting point/freezing point    Not known.  
Boiling point or initial boiling point and boiling range    Not known.  
Flammability                Non-flammable.  
Lower and upper explosion limit    Not known.  
Flash Point                 >81°C  
Auto-ignition temperature    Not known.  
Decomposition Temperature    Not known.



## Gorilla Super Glue Gel

pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Immiscible. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Density (g/ml) : 1.1g/cm <sup>3</sup> @ 20°C
Relative vapour density	Not known.
Particle characteristics	Not applicable.
<b>9.2 Other information</b>	None.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

Stable under normal conditions.

#### 10.2 Chemical Stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

#### 10.4 Conditions to avoid

Heat and direct sunlight.

#### 10.5 Incompatible materials

Not known.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified. Calculated acute toxicity estimate (ATE): 555555.56000
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified.
Skin corrosion/irritation	Causes skin irritation. No data.
Serious eye damage/irritation	Causes serious eye irritation. No data.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	May cause respiratory irritation. No data.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

#### 11.2 Other information

Not known.

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity



## Gorilla Super Glue Gel

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment	Not classified.
Compartment	
Toxicity - Terrestrial	Not classified.
Compartment	
<b>12.2 Persistence and degradability</b>	No information available.
<b>12.3 Bioaccumulative potential</b>	No information available.
<b>12.4 Mobility in soil</b>	Immiscible with water. The product is predicted to have low mobility in soil.
<b>12.5 Other adverse effects</b>	Not known.

### SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste treatment methods</b>	Dispose of this material and its container as hazardous waste. Do not dispose of with household waste. Incineration by an approved method could be considered.
<b>13.2 Additional Information</b>	Disposal should be in accordance with local, state or national legislation.

### SECTION 14: TRANSPORT INFORMATION

**Not classified as hazardous for transport.**

<b>14.1 UN number</b>	Not applicable
<b>14.2 UN proper shipping name</b>	Not applicable
<b>14.3 Transport hazard class(es)</b>	Not applicable
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not classified as a Marine Pollutant.
<b>14.6 Special precautions for user</b>	Not known
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not known

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

AICS (Australian Inventory of Chemical Substances)	Listed : 7085-85-0, 123-31-9
IMAP (Inventory Multi-Tiered)	123-31-9



## Gorilla Super Glue Gel

Assessment and Prioritisation) –  
Stage One chemicals  
List of PECs (Priority Existing Chemicals) Not listed  
NPI (National Pollutant Inventory) Not listed  
Schedule 10 of WHS Regulations Not listed  
– Prohibited carcinogens,  
restricted carcinogens and  
restricted hazardous chemicals

### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

#### LEGEND

Hazard Pictogram(s)



GHS07  
GHS05: GHS: Corrosion  
GHS08: GHS: Health hazard  
GHS09: GHS: Environment

Hazard classification

Flam. Liq. 4 : Flammable liquid, Category 4  
Acute Tox. 4 : Acute toxicity, Category 4  
Skin Irrit. 2 : Skin corrosion/irritation, Category 2  
Skin Sens. 1 : Skin sensitization, Category 1  
Eye Dam. 1 : Serious eye damage/irritation, Category 1  
Eye Irrit. 2A : Serious eye damage/irritation, Category 2A  
STOT SE 3 : Specific target organ toxicity — single exposure, Category 3  
Muta. 2 : Germ cell mutagenicity, Category 2  
Carc. 2 : Carcinogenicity, Category 2

Hazard Statement(s)

H227: Combustible liquid  
H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H341: Suspected of causing genetic defects.  
H351: Suspected of causing cancer.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.  
P261: Avoid breathing vapours.  
P264: Wash hands and exposed skin thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.



## Gorilla Super Glue Gel

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

### Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

LTEL : Long term exposure limit

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

### Key literature references and sources for data used to compile the SDS

In accordance to GHS as implemented under WHS Regulations

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.